

Information Event Pharmaceutical Companies



Livestream Event

14.06.2022




Agenda

- AMVS Organisation
- Status of Contractual Relations and Fee Model
- Summary Codierung
- Alert Statistics
- New Features in the System
- European Alert Management System
- Transition from Start Phase to Operational Phase


AMVS Organisation



Austrian Medicines
Verification System



Contractual Relations – Responsible Pharmaceutical Companies



Status: 03.05.2022

Operational Fee

Fixed Turnover based Part

| Turnover € / User p.a. | Fee € / User p.a. |
|-----------------------------------|------------------------------|
| < 100k | 400 |
| 100k-1.5 Mio | 1 200 |
| 1.5-3 Mio | 2 400 |
| 3-10 Mio | 4 000 |
| 10-20 Mio | 6 000 |
| 20-30 Mio | 12 000 |
| 30-50 Mio | 20 000 |
| 50-70 Mio | 28 000 |
| 70-100 Mio | 36 000 |
| 100-150 Mio | 44 000 |
| 150-200 Mio | 52 000 |
| 200-250 Mio | 60 000 |
| < 250 Mio | 68 000 |


Operational Fee

Variable Volume-based Part

| Price-Quantity Scale p.a. | €/serial number |
|----------------------------------|------------------------|
| ≤ 2.000.000 | 0,007 |
| ≥ 2.000.001 | 0,004 |

Number of uploaded serial numbers based on AMVSystem

Contractual Relations – Endusers



Summary Coding



Coding Rules for Austria Version 4.0 published in November 2020

German Version:

<https://amvs-medicines.at/FileDownload/4418>

English Version:

<https://amvs-medicines.at/FileDownload/4419>

Summary Coding

- Starting from February 9th 2019 the printing of the EAN-13 1D-Barcode is not required anymore. Recommendation to no longer place on packs or remove in the course of planned changes to the packaging
- Upload of the Austrian „Pharmazentralnummer“ (PZN – 7digits incl. Check digit) using the EMVS Master Data Elements via the European Hub and stored in the national repository system as a „national code“.
- Character Set for Serial Numbers und Batch-ID: No usage of Y and Z, special characters and small letters (see also Q&As of EU Commission, Question 2.23.)

Summary Coding

Outlook: New provisions for expiry date format


- Adaptation of GS1 specifications in March 2022
- "00" in the date field for the day should no longer be used
- To be implemented by 01.01.2025

Summary Coding


Upload of Multi Market Packs

- In each national system of a country where the product is placed on the market
- Applies to each batch of the product
- Inter-market queries are not sufficient
- Multi market packss not uploaded in each affected national system cause problems for end users (alert ID with different country ID, different behavior when "double dispensing")

Enduser Transactions and Alerts



Enduser Transactions and Alerts



- Technical Error (Wrong Data Submission)
- Handling Error (Status Change not possible)
- Confirmed OBP Error
- Double Alerts by Verify / Dispense

OBP Errors March:


37 % MAH Transfer (298 alerts)
51 % QA release of 2 batches
without checking upload (501
alerts)

OBP Errors April


80% delivery of a batch with
incorrect expiry date; correction
after 24 hours

Weekly Alert Rates Compared across Europe

2022 - Week 15



2022 - Week 17*



Release 1.10 AMVSystem

Changes / New Features

- Changes – Double Decommission by the same enduser
- New version of the interface V5 to the AMVSystem
 - Display of the product name at verifications/decommissions
 - At Verifications → Information if an UNDO is possible

Rollout productive system Austria: 16th May

Rollout productive system Germany: 7th June

Release 1.10 AMVSystem

Changes – Double Decommission by the same enduser

| Decommission | | |
|---|-------------------|--------------|
| Dispense, Fee Sample, Destroy, Recall,... | | |
| | Alert | Time Frame |
| national transactions | after 5th attempt | after 1 year |
| From other national system incoming transactions | after 5th attempt | after 1 year |

Example:

Pack was already decommissioned twice, another decommission within 1 year creates a **warning**

Pack was already decommissioned one time, another decommission after 1 year creates an **alert**

Pack was already decommissioned four times, another decommission creates an **alert**

Important: From June 7th German system accepts **one** double Decomission **within 15 minutes** (currently each double decommission creates an alert).

Release 1.10 AMVSystem

New version of the interface V5 to the AMVSystem

Display of the product name at verifications / decommissions

When a national pack(*) is verified/decommissioned, the product name stored in the AMV system is returned to the V5 interface and can thus be displayed to the **enduser** for verification.

Increasing security

** In one of the next versions of the AMVSystem, the product name of a non-national pack will also be made available at the interface to the AMVSystem as a further step to increase security.*

Release 1.10 AMVSystem

New version of the interface V5 to the AMVSystem

At Verifications → Information if an UNDO is possible

In case of a verification, the AMVSystem returns to the **enduser** at the V5 interface whether the decommission was performed by the same enduser and whether the decommission can still be reversed (10 days).


Avoidance of alarms

BREXIT CHANGES for EMVS

- Amendment of DR leads to differentiation between markets when handling GB packs brought to market after date of Brexit (Jan 1, 2021)
 - IE/CY/MT/NI (Northern Ireland): GB packs trigger warning message L2/3
 - Other: GB pack triggers alert message L5

BREXIT CHANGES for EMVS

CHANGES FOR THE DR



BREXIT CHANGES for EMVS

IMPLEMENTATION PLAN

Hub

- In V1.12 so by December this year.

NMVS

- General changes by Spring 2023 latest


NMVS GB

- TBC noting that Autumn for the unique changes is workable but Spring for the general changes is needed to allow end user change and testing.

Implementation European Alert Management System (EAMS)

- EAMS will facilitate communication when handling alerts
- Pilot project on EU AMS-Hub by industry already underway
- Roll out of Austrian AMS planned for Q4 2022
- Use initially for industry, BASG and AMVS

Implementation European Alert Management System (EAMS)



Start Phase Operations from 09.02.2020

Alerts are analyzed but not categorized as potential falsifications.

Affected packs are checked for integrity and authenticity and the verifying or dispensing location decides upon dispensing.

Disobedience of relevant duties by endusers, OBP, RPC and MAH will lead to sanctions by the respective competent bodies

Ongoing evaluation by representatives of AMVO, AMVS and BASG

amvs

Austrian Medicines
Verification System



Bundesamt für
Sicherheit im
Gesundheitswesen
BASG

amvo
Austrian Medicines
Verification Organisation


Information regarding the

Start Phase Operations
from 09/02/2020

How to proceed within the context of dispensing or
verifying medicinal products in Austria during the
start phase operations

Version 1.0
01/02/2020

Processes around Potential Incidents of Falsification after Start Phase



Process around Potential Incident of Falsification after Start Phase

Documents approved on June 2nd 2021

To apply from the end of of start phase operations

Guidance on Potential / Confirmed Incidents of Falsification within the Context of Dispensing or Verifying Medicinal Products in Austria

<https://www.amvs-medicines.at/infothek/leitlinie-potenzieller-bestaetiger-faelschungsfall/>
<https://www.amvs-medicines.at/en/infothek/guidance-potential-confirmed-incident-of-falsification/>

Guidance Procedure in Case of (Suspected) Process Errors

<https://www.amvs-medicines.at/infothek/leitlinie-prozessfehler/>
<https://www.amvs-medicines.at/en/infothek/guidance-process-errors/>

Instruction on the Complaint Procedure in Connection with Process Errors

<https://www.amvs-medicines.at/infothek/information-reklamationsprozess/>
<https://www.amvs-medicines.at/en/infothek/complaints-procedure-instruction/>

Process around Potential Incident of Falsification after Start Phase

Duties of industry

- Analysis of all incoming Level 5 alerts by RPC(VPU)/MAH/OBP
- Exclusion of falsification case (confirmation of process error) shall be completed and reported to AMVS within 3 (three) working days
- Correction (if possible) within 10 calendar days.
- AMVS informs BASG and the end user that a process error has occurred
- In case falsification cannot be excluded within 3 working days, BASG will initiate further investigations

Process around Potential Incident of Falsification after Start Phase

Duties of industry




Correction process errors: Uploading of missing data
Reverting of the decommission of mistakenly decommissioned packs

Current Challenges Industry

- **Non uploaded serial numbers – Error „Serial Number not found“**
 - Monitoring of all alerts and feedback to AMVS by industry
 - After the start phase operations: pack will not be dispensed, correction of the error within 10 calendar days or complaint
- **Batch Release and delivery to endusers before upload – „Batch not found" error**
 - Currently, approx. 3-4 batches/month which have yet to be uploaded are being delivered to endusers
 - Further adaptation of quality systems which prevents delivery before uploading recommended
 - After the start phase operations: packs will not be dispensed until batch is uploaded
- **Alert Management by OBP, MAH and VPU**
 - OBP receives all Alert-Data via his EU-Hub Interface
 - All alerts generated by Austrian end users must be analysed and reported back
 - Coordination of responsibilities between OBP, MAH and RPC (VPU) especially when RPC (VPU) and MAH/OBP do not belong to the same group of companies


Transition from Start Phase to Operational Phase



Transition from Start Phase to Operational Phase

Service for endusers:


Explanatory Video and Service Leaflet incl. Check-List




ALARM ERKENNEN - ALARM MELDEN - ALARM AUFLÄREN

- LEVEL 5 ALARM Alarm**
Alarm erkennbar an Alert ID - Anzeige im Bildschirm
Packung nicht abgelesen!
Packung entfällt in den Betriebsräumen
#gesundheitsbewusst
Packung muss eindeutig dem Alarm zuordenbar sein.
Es folgt eine Service-Mail der AMVS mit den Alarmdaten.
- LEVEL 4 ALARM Meldung**
Unserzeitliche Meldung an das Bundesamt für Sicherheit im Gesundheitswesen (BSG) und die Landesregierung/bezogen auf (Pflanzname.at)
Mögliche Ursachen:
- Mangelhafte Produktion
- Mangelhafte Verpackung
- Mangelhafte Lagerung
- Mangelhafte Handhabung
- Mangelhafte Zulieferung
Mögliche Zufahrten der Service-Checklist in dieser Broschüre
Benötigt Prozessleiter oder Fälschungserreichter
Endbenutzer ist verpflichtet, das Ergebnis der Aufklärung an die AMVS zu melden
- LEVEL 3 ALARM Aufklärung**

DRAFT



Questions and Discussion



Current information can be found
on our webpage
<https://www.amvs-medicines.at/en/>
as well as our
LinkedIn channel.

You are always welcome to contact us under
office@amvs-medicines.at or +43 1 9969499 0

DISCLAIMER

The material in this presentation has been prepared by AMVS GmbH and is general background information about the FMD project report current as at the date of this presentation. This information is given in summary form and does not purport to be complete.

Any content of this presentation may not be used without prior written permission from AMVS GmbH.

© AMVS – Austrian Medicines Verification System GmbH

Management: Christoph Lendl, MSc.

Square One, Leopold-Ungar-Platz 2, Stiege 1, Top 134, 1190 Vienna, Austria

+43 1 9969499-0

office@amvs-medicines.at; amvs-medicines.at

FN 466094 h; HG Wien; UID: ATU 72357059; DVR Nr.: 4018122